

EasyView™ Type K Thermometers

Large LCD display with 0.3% accuracy

Features:

- Compact and rugged design features large LCD display
- Selectable units of °F and °C (Kelvin with EA10)
- Wide temperature range with 0.1°/1° resolution
- Data Hold function freezes reading on display
- Auto Power off to save battery life
- Low battery and overrange indication
- Records Max/Min readings for later recall
- Complete with built-in stand, protective holster, Type K bead wire temperature probe (two with EA10) (-4 to 482°F/-20 to 250°C) and 6AAA batteries



Model EA11 Features:

- Basic Single Type K input

Model EA10 Additional Features:

- Dual Type K input
- Displays [T1 plus T2] or [T1-T2 plus T1] or [T1-T2 plus T2]
- Timer function displays elapsed time plus the time when MIN and MAX readings are taken

CE

Specifications:	EA11	EA10
Temperature (Type K):	-58 to 1999°F (-50 to 1350°C)	-200 to 1999°F (-200 to 1360°C)
Display Counts:	2000 count LCD	2000 count backlit LCD
Basic Accuracy:	±0.3% rdg	±0.3% (+2°F/+1°C)
Resolution:	0.1°/1°	0.1°
Dimensions:	5.2x2.8x1.2" (135x72x31mm)	6x2.8x1.5" (152x72x37mm)
Weight:	8.3oz (235g)	8.3oz (235g)

Ordering Information:

EA11EasyView™ Type K Single Input Thermometer
EA11-NISTEasyView™ Type K Single Input Thermometer with NIST certificate
EA10EasyView™ Dual Input K Thermometer
EA10-NISTEasyView™ Dual Input K Thermometer with NIST Certificate
TP870Type K Bead Wire Temperature Probe
871515Type K General Purpose Temperature probe
872501-SBead wire temperature probe
409996Soft Vinyl Pouch Carrying Case



EXTECH INSTRUMENTS CORPORATION
 285 Bear Hill Road, Waltham, MA 02451-1064, U.S.A.
 Phone: 781-890-7440 • FAX 781-890-7864
 ISO 9001:2000 CERTIFIED

"Make mine an Extech!"
www.extech.com

12/02/04 - R1

Copyright © 2004 Extech Instruments Corporation. All rights reserved including the right of reproduction in whole or in part in any form.